




AL JASSRA
FIBER PLAST

Email support:
info@aljassra-fiberplast.com

Call support:
(+974) 4432 6930



GRP (Glass Reinforced Plastic / Polyester)

FRP (Fiber Reinforced Plastic / Polyester)

Welcome to Al Jassra Fiberplast

We are one of the young and leading manufacturer of Fiberglass (GRP/FRP) products in state of Qatar, Combining our expertise with the latest technology, we controls every phase of the manufacturing process with our state-of-the-art manufacturing facilities and quality controlled international standard manufacturing process. Our reputation as a trustworthy company providing finest quality products.

[MORE](#)



Company Profile:

Al JASSRA Fiberplast is a member company of one of the prestigious business house of Qatar, the **Al Jassra Group** and **Redco Construction-Almana**, which are having diversified line of activity.

We are one of the young and leading manufacturer of Fiberglass (GRP/FRP) products in state of Qatar, Combining our expertise with the latest technology, we controls every phase of the manufacturing process with our state-of-the-art manufacturing facilities and quality controlled international standard manufacturing process. Our reputation as a trustworthy company providing finest quality products.

Our mainstream products are Fiberglass Water Tanks, Fiberglass Sewage (Septic) Tanks, GRP Sectional Tanks, GRP Lining and other Fiberglass custom-made products associated with construction, transportation, furniture and civil engineering industries.

Al JASSRA Fiberplast meets all these demands by virtue of talented team of well experienced Engineers, Supervisors and technicians. A team of competent and qualified professionals who are discrete with their experience manages them through highly improvised and competent professional methodology. Committed towards meeting the satisfaction of our customers, we serve with integrity. You name the purpose and we have experienced staff to handle any type of job, of any quantum and size.

The management takes outmost care in the execution of service and keep focused on the interest and a Commitment to Excellence in our products, sales and customer service.

Our experience and expertise in GRP/FRP extends to other areas including inspections, design verification and site work/repairs. Al Jassra's high quality management system accredited to ISO9001:2008, combined with our broad capabilities, is what give us the edge in being your most qualified and trusted supplier.



AL JASSRA
FIBERPLAST

الجسرة فايبر بلاست
AL JASSRA FIBERPLAST

Company Name	: Al Jassra Fiberplast
Company CR No	: 122339
Year of establishment	: 2019
Company address	: P.O. Box: 23300, Doha State of Qatar
Factory Address	: Al Jassra Fiberplast P.O. Box: 23300, Gate No: 379 Street No: 38 Old industrial Area Doha, State of Qatar.
Factory Telephone No.	: (+974) 4432 6930
Factory Fax No.	: (+974) 4432 1102
Email address	: info@aljassra-fiberplast.com
Key Person	: Engr. Monjid Abdelmajeed (Chief Executive Officer) Engr. Amjad Abuseir (General Manager)
Contact Person	: Engr. Devaraj Epili (Operation Manager) Mobile No: (+974) 55856698 Email: devaraj@aljassra-fiberplast.com
Name and Address of Owner	: <i>Mr. Faisal Almana & Mr. Hamad Almana</i> : P.O. Box 23300 Doha, Qatar info@redcoalmana.com



AL JASSRA
FIBERPLAST

الجسرة فايبر بلاست

AL JASSRA FIBERPLAST

SISTER COMPANIES





وزارة الاقتصاد والتجارة
Ministry of Economy and Commerce

إدارة التسجيل
والتراخيص التجارية

Registration and Commercial
Licenses Department

مستخرج بعض بيانات السجل التجاري

تاريخ الطباعة: 2019/08/20



رقم السجل التجاري:	122339	رقم التسجيل الضريبي:	122339
الاسم التجاري:	مصنع الجسرة للفاير بلاست	السمة التجارية:	
تاريخ انشاء السجل:	13/09/2018	تاريخ انتهاء السجل:	12/09/2020
الشكل القانوني:	شركة ذات مسئولية محدودة	راس المال:	200000
حالة السجل:	نشط	جنسية المنشأة:	قطر
عدد الفروع:	0		

معلومات الاتصال

صندوق البريد: أرقام الاتصال: 300959880 - 31303055

المالك

الاسم	رقم الإثبات	رقم السجل	الجنسية
شركة الجسرة للمشاريع		34140	قطر

المدراء (المخولون بالتوقيع)

الاسم	رقم الإثبات	رقم السجل	الجنسية	الصفة (الصلاحية)
حمد عبدالله صالح الحمد المانع	27863400697		قطر	صلاحيات كاملة ومطلقة - مدير
فيصل عبدالله خالد المانع	27463400129		قطر	صلاحيات كاملة ومطلقة - مدير

Page 1 of 2

رقم السجل : 122339



غرفة قطر
QATAR CHAMBER

تشهد غرفة تجارة و صناعة قطر بان المنشأة المذكورة اعلاه سجلت لدينا

Qatar Chamber certifies that the above mentioned establishment has been registered





وزارة الاقتصاد والتجارة
Ministry of Economy and Commerce

إدارة التسجيل
والتراخيص التجارية

Registration and Commercial
Licenses Department

مستخرج بعض بيانات السجل التجاري

الأنشطة التجارية

الرقم	إسم النشاط
2220604	إنتاج حواجز مرورية_خزانات مياه من البلاستيك بأحجام مختلفة_براميل وخزانات من البلاستيك للأغراض المتنوعة_أنابيب فيبر جلاس و أنابيب بوليمار ومنهولات الصراف الصحي
3830015	انتاج (اعادة تدوير البلاستيك)
2220009	انتاج خزانات مياه و حواجز طرق من الروتومولد

الرقم	إسم النشاط
4610301	استيراد المواد الأولية لمنتجات المصنع
2310823	انتاج خزانات الفاير جلاس المضغوط
2002631	انتاج خزانات مياه من ماده البولي اثلين





شهادة

نوع الشهادة : استيفاء نظام الوقاية ومكافحة الحريق (تجاري)

بيانات المنشأة

إسم المنشأة : الجسرة فايبر بلاست

رقم قيد المنشأة : السجل التجاري : 122339

المساحة : 1800

بيانات صاحب الشهادة

الاسم : فيصل عبدالله خالد المانع

الرقم الشخصي : 27463400129 الهاتف الجوال : 30010034

عنوان المنشأة

رقم المنطقه : 57 رقم الشارع : 38

اسم الشارع : شارع 38 رقم المبنى : 379

رقم قطعة الأرض : 149 رقم الوحدة / الشقة : 1

تصنيف المنشأة : [مصنع]

تفاصيل الشهادة

1. يجب تنفيذ جميع أحكام قانون الدفاع المدني رقم (25) لسنة 2015 والالتزام التام به

2. يجب الحصول على موافقات الجهات المختصة للنشاط المراد مزاولته

تاريخ إنتهاء الشهادة : 08/10/2021

تاريخ إصدار الشهادة : 10/10/2019

الإدارة العامة للدفاع المدني

إدارة الوقاية

(1)

/ع

مدير إدارة الوقاية

الإدارة العامة للدفاع المدني






AL JASSRA
FIBERPLAST

الجسرة فايبر بلاست AL JASSRA FIBERPLAST

Organizational Structure





AL JASSRA
FIBERPLAST

الجسرة فايبر بلاست
AL JASSRA FIBERPLAST

Our Products: **1. GRP/FRP/Fiberglass –Storage Tanks**

- . GRP/FRP/ Fiberglass Water Tanks
- . GRP/FRP/ Fiberglass Septic Tanks/ Sewage Holding Tanks
- . GRP/FRP Fire Water Storage Tanks
- . GRP/FRP Chemical Storage Tanks
- . GRP/FRP/ Sectional Water Tanks/ Panel Tanks
- . Galvanized pressed steel Sectional Fire water Storage tanks
- . Steel bolted panel / inner liner Tanks (Cylindrical Vertical Tanks)

2. GRP/FRP/Fiberglass Moulds

- . GRP moulds
- . GRP Weffle & Trough moulds

3. Manhole Liners & Lining

- . GRP/FRP Lining
- . GRP Manhole Liners/ Benching's
- . GRP Manhole Ladders & Manhole Covers
- . GRP Grating

4. GRP/FRP/Fiberglass Domes and minarets

- . GRP Domes

5. GRP/FRP/Fiberglass Custom made Products

- . GRP Floaters
- . Fiberglass Toilet Cabin
- . Fiberglass Planter Box
- . Fiberglass Car Park sheds
- . GRP Trays and Boxes.
- . GRP Cladding

6. Fiberglass Boats and Yacht

Repair and maintenance of Fiberglass Boats & Fiberglass coating on wooden boats.



AL JASSRA
FIBERPLAST

الجسرة فايبر بلاست
AL JASSRA FIBERPLAST

Al Jassra Fiberplast - Fiberglass/ GRP / FRP

Our fibreglass engineers and composite manufacturing facilities are unsurpassed in the industry. This makes it possible for **Al Jassra** to produce fire water tank applications, emergency storage tanks, and many other types of FRP structural composite applications, that other manufacturers simply cannot produce. Our rectangular shaped tanks are often used for chemical storage tanks and water storage below and above ground.

They are also used in sewer storage tanks and water treatment systems. These tanks are perfect for eco friendly applications (that require a small footprint) with maximum storage capability. **Al Jassra** tanks come in a wide variety of shapes and sizes and due to their corrosion resistant properties, can be created to meet your specific needs.

Fibreglass has a wide spectrum of properties. They include a high tensile and compressive strength, hard and smooth surface, unreactive to chemicals, fire resistant, an insulator to heat, electricity and sound, impervious to water, easily moulded and coloured and long-lasting.

Also being a composite, fibreglass's different components can be varied and added to. This extends its adaptability and performance as a construction and production material.

To match fibreglass's versatility we have a workforce with a broad and in-depth knowledge and experience of GRP wide-ranging applications. With such an in-house team we serve both the industrial and retail markets with confidence, responsiveness and highly competitive pricing.



AL JASSRA
FIBERPLAST

الجسرة فايبر بلاست AL JASSRA FIBERPLAST

“Al Jassra Fiberplast” GRP/FRP/ Fiberglass Water Tanks:

We provide a high grade **Fiber Glass Water Tank**. Having corrosion resistance characteristics, the raw materials are purchased from reliable sources. The advanced manufacturing process at our unit facilitate in the cost effective production.

Advantages of Al Jassra Fiberplast Fiberglass/GRP Tanks:



No Plastic Taste to Stored Drinking Water.



Our Fiberglass/GRP water tanks manufactured under strictly hygienic conditions using the best quality polyester resin approved by the WRAS, U.K. Confirming to BS 6920 and approved by Lloyd's register, London, which is suitable for storage of potable water.



We are using best quality international standard fiberglass reinforcements conforming to BS 3749.



Our Fiberglass water tanks ensures a mirror smooth inside surface preventing adhere of any organic matters, thus removing nutrients which algae bacteria & micro-organism require to reproduce.



Our Fiberglass tanks prevents light transmission inside the tank, inhabiting algae growth, even if installed outside in sun.



Our Fiberglass water tank designed to deliver pure, clean water at all times and for all purposes-whether for drinking, domestic or industrial use.



Resistant to Cracking or Denting.



Less Likely to Wear Down in Hot and Cold Temperatures.



Equipped for Outdoor Storage.



Easy to Install.



Our tanks are UV (ultra violet) resistant and have excellent weathering properties.



Al Jassra Fiberplast Tanks are fully guaranteed for 10 years against all manufacturing defects.

Fiberglass storage tanks mean lower total cost and greater dependability over the life of your storage system free of maintenance cost. The most important difference between AJF Fiberglass tanks and metallic tanks is that Fiberglass tanks do not corrode, corrosion-caused replacement costs are eliminated, as are periodic corrosion testing procedures, and the additional expense and concern over leakage problem are eliminated.



AL JASSRA
FIBERPLAST

الجبسة فايبر بلاست

AL JASSRA FIBERPLAST

“AJF” Fiberglass / GRP Water Tanks **(Cylindrical Horizontal Type)**



P.O. Box : 23300, Doha - Qatar, C.R No. : 122339, Tel: (+974) 4432 6930, Fax: (+974) 4432 1102

E-mail: info@aljassra-fiberplast.com, Website : www.aljassra-fiberplast.com



AL JASSRA
FIBERPLAST

الجبسة فايبر بلاست AL JASSRA FIBERPLAST

GRP Sectional Panel Tanks



■ Characteristic of GRP Water Tank

GRP Water Tank always keeps clean water with excellent water pressure resistance & corrosion resistance.

● Various Capacity Design

Various size panels can use limited space for its best using way so can satisfy your needs.

● Intensity and Durability

Glass fiber Reinforced Panel is mulded under condition of high temperature and pressure to maintain the best endurance.
Since using stainless steel for inside structure, plated steel for outside and HDG for outside, it shows best performance against corrosion.

● Watertightness

The joints sealed with special sealing tape especially developed for water tank.


● Heat Insulation and Dewdrops Prevention

The heat insulation panel with 4 layer structured improves heat insulation effect, Protects water from dewdrops and minimizes temperature variation of the stored water.

Excellent Heat Insulation


Composition of Insulation panel

- GRP heat insulation panel shows excellent heat insulation effect by GRP own heat insulation property with eco-friendly polyurethane insulated material, so it shows excellent results to prevents condensation and freeze.
- As GRP heat insulation panel is composed of eco-friendly polyurethane foaming with special cloth, insulated cover is never removed from panel, so shape of panel can be maintained for a long time.
- The heat insulation panel with 4 layer structure improves heat insulation effect.



During the time when the water temperature decreases from 5° to 0°


Capacity	Classification	Temperature of Atmosphere		
		-10℃	-20℃	-30℃
16tons	Single Layer Type	35 hr	20 hr	13,5 hr
	Insulation Type	164 hr	81 hr	58,5 hr
1tons	Single Layer Type	11 hr	6 hr	4 hr
	Insulation Type	37,5 hr	23 hr	13,5 hr




※ Test condition

- Tank is filled with water
- No further water supply, or drainage during the test

Drawing of the panel joint part / corner part



- Heat insulation foam core thickness : 25~33mm



S-Type Skid Base System


- Water tank height -3M, 5M
- Water level - 85% of water tank height

• Stress intensity of S-Type Skid base system : 3M

item	Skid base
Bending stress(kg/cm²) $\sigma = M_{max} / Z$	$0,213 \times 100,000 / 20,3 = 1,049$
Shearing stress(kg/cm²) $\tau = S \times Q / (b \times I)$	$0,638 \times 1,000 \times 45,6 / (0,4 \times 123,9) = 587$

• Stress intensity of S-Type Skid base system : 5M


item	Skid base
Bending stress(kg/cm²) $\sigma = M_{max} / Z$	$0,354 \times 100,000 / 36,2 = 978$
Shearing stress(kg/cm²) $\tau = S \times Q / (b \times I)$	$1,063 \times 1,000 \times 83,9 / (0,45 \times 298,5) = 664$



• Result

height	item	S-Type Skid base	Result
3m	Bending stress (kg/cm²)	1,049	allowable stress (1,200) ■ O,K
	Shearing stress (kg/cm²)	587	allowable stress (680) ■ O,K
5m	Bending stress (kg/cm²)	978	allowable stress (1,200) ■ O,K
	Bending stress (kg/cm²)	664	allowable stress (680) ■ O,K

Externally Reinforced System



No.	Name	Material
1.	Manhole panel	GRP
2.	External ladder	SS400(HDG)
3.	Internal ladder	Pultrusion
4.	Internal Tie Rod	STS(PET coating), STS 304,316
5.	Internal bracket	STS(Powder coating), STS 304,316
6.	External reinforced bar	SS400(HDG)
7.	External bracket	
8.	Corner bracket	
9.	Bottom bracket	
10.	Corner frame	

No.	Name	Material
11.	Roof support pipe	Pultrusion
12.	Base frame	SS400(HDG)
13.	Bolts and Nuts	Inside : STS 304(Bolt & Nut) STS 316(Washer)
		Outside : HDG Bolt + PVC Bolt cap
		Roof Panel : HDG +Integral type Cap bolt
14.	Sealing Tape	PVC(Synthetic Rubber)
15.	Water Level Gauge	Socket + PE(Clear Tube Type)
16.	Name Plate	Aluminum(Water Tank Safety Management Instructions)




AL JASSRA
FIBERPLAST

الجسرة فايبر بلاست

AL JASSRA FIBERPLAST

Galvanised Steel Fire water storage tanks



P.O. Box : 23300, Doha - Qatar, C.R No. : 122339, Tel: (+974) 4432 6930, Fax: (+974) 4432 1102

E-mail: info@aljassra-fiberplast.com, Website : www.aljassra-fiberplast.com



AL JASSRA
FIBERPLAST

الجبسة فايبر بلاست

AL JASSRA FIBERPLAST

AL JASSRA GRP/FRP- Chemical Storage Tanks

(Vertical Cylindrical Shape)



P.O. Box : 23300, Doha - Qatar, C.R No. : 122339, Tel: (+974) 4432 6930, Fax: (+974) 4432 1102

E-mail: info@aljassra-fiberplast.com, Website : www.aljassra-fiberplast.com



AL JASSRA
FIBERPLAST

الجبسة فايبر بلاست AL JASSRA FIBERPLAST

AL JASSRA GRP FIRE WATER TANKS



P.O. Box : 23300, Doha - Qatar, C.R No. : 122339, Tel: (+974) 4432 6930, Fax: (+974) 4432 1102

E-mail: info@aljassra-fiberplast.com, Website : www.aljassra-fiberplast.com



AL JASSRA
FIBERPLAST

الجسرة فايبر بلاست

AL JASSRA FIBERPLAST

AL JASSRA GRP/ FRP – SEWAGE HOLDING / SEPTIC TANK



P.O. Box : 23300, Doha - Qatar, C.R No. : 122339, Tel: (+974) 4432 6930, Fax: (+974) 4432 1102


E-mail: info@aljassra-fiberplast.com, Website : www.aljassra-fiberplast.com



AL JASSRA
FIBERPLAST

الجسرة فايبر بلاست AL JASSRA FIBERPLAST

GRP Manhole Liner / Lining



"Al Jassra" GRP Lining for Concrete/Steel Tank



GRP Lining is a permanent layer coating process for Concrete Tanks to prevent leakage and water absorption, GRP Lining for Underground Concrete water tanks prevents algae and fungal growth. GRP Lining is permanent layer coating process, and will last for a lifetime. GRP lined tanks are suitable for storage of potable water as we are using the same water Tank manufacturing materials for GRP Lining.

GRP Lining has diverse applications including Corrosion Resistance, Structural Strengthening and Waterproofing. It can be found in most if not all Water Storage Tanks, Sewerage Tanks, Chemical Storage Tanks, Tank Roof Lining, Manholes, Sewerage Sump Pit, Cooling Towers, Chemical Plants, Fire Fighting Networks, Pipeline Networks, Water Transmission Pipelines, etc

Special grade resins are used to attain various properties, which allow the GRP Lining to withstand resistance to fungi & algae, strong acids, chemicals and high temperature. It's an effective alternative to component replacement.

GRP Lining will completely and seamlessly seal the cracks, leaks, corrosion and flaking materials. It offers a new life to damaged/eroded walls providing a long term, secure environment at a fraction of the cost of a total rebuild.





AL JASSRA
FIBERPLAST

الجبسة فايبر بلاست AL JASSRA FIBERPLAST

Fiberglass /GRP Waffle and Trough Moulds



Cast insitu, ribbed concrete floors are an efficient design solution for concrete frame construction; benefits of using this technique include longer floor spans and reduced weight of the structure.

“Al Jassra” trough and waffle moulds can be used for the construction of both one-way and two-way spanning ribbed floors and are cost effective formwork systems designed for multiple uses. Depending on the choice of materials they can also provide a consistent and high quality finish for exposed soffits.

Waffle Moulds:

Waffle Moulds are a reusable formwork system for constructing two-way spanning ribbed concrete floors, which can achieve greater spans and use less concrete when compared to traditional flat slabs. The waffle moulds are generally in small square form and offers designers a comprehensive choice of fiberglass waffle moulds for constructing two-way spanning floors for a very high loadbearing. By means of waffle design concrete slabs easily bears its own load and other dinamic loads. each Waffle Mould is made to suit the individual requirements of the project and can be re-used multiple times. When struck, the Waffle Mould, subject to specification, can achieve a good quality finish for exposed applications.

Waffle mould with the main material of fiberglass has an excellent design elasticity for either small (ex. 70cm) or big (ex. 270cm) dimensions.





Trough Moulds

Trough Moulds are a reusable formwork system for constructing one-way spanning ribbed concrete floors, which can achieve greater spans and use less concrete when compared to traditional flat slabs. Traditionally manufactured from GRP/Fiberglass with an external smooth gelcoat skin surface, each Trough Mould is made to suit the individual requirements of the project and can be re-used multiple times. When struck, the Trough Mould, subject to specification, can achieve a good quality finish for exposed applications.




Features



- Two way or One way spanning ribbed slabs can achieve longer spans than traditional flat slabs
- Reduces concrete volumes
- Potential for reduction in slab thickness and weight
- Good quality finish achievable for exposed soffits – Subject to specification
- Lightweight and easy to fix and strike
- Re-usable



“AL Jassra” Architectural Cladding Panel

FRP/GRP Spandrel panels are insulated Fiberglass Composite panels offering alternatives to, glass, aluminum & UHPC products in curtain wall application.





Architectural Solutions

The features of **Al Jassra's** fiberglass products can become significant benefits in many architectural applications. The many outstanding features which make "**Al Jassra**" **FRP (Fiber Reinforced Polyester)** the product of choice for decorative Canopy Panels, cladding and curved long span.

What is FRP?

FRP or Fiber Reinforced Plastics are composite materials made up of polymer matrix and reinforcement such as fiber. With this combination, it creates a material of superior strength and performance.

Benefits of FRP

FRP products have many advantages than conventional materials like steel, wood, and aluminum. The many benefits of FRP are:

IMPACT RESISTANT

With its high impact strength, FRP composite products can tolerate the heavy amount of deflection without permanent damage or distortion. Its high level of skid resistance allows for safety and durability, reducing industrial accidents like slips or falls.

FORMABLE

It allows for significant design freedom as it can be molded to any desired shape. FRP composite products have a great amount of elasticity, boosting extensive use by major companies compared to steel.

ENVIRONMENTALLY FRIENDLY

The low weight and corrosion resistance of FRP composite products deliver significant environmental benefits that make FRP a sustainable solution.

BUILT TO LAST

FRP Composite products are ideal for long lasting structures. They ensure durability for the long run and made to outlast traditional construction materials.

CORROSION RESISTANT

Unlike steel, FRP composite products can withstand deterioration from industrial chemicals and exposure from harsh environmental factors. Designed with non-corrosive properties, FRP composite products last longer than conventional materials.

LOW MAINTENANCE

Save cost on maintenance as FRP composite products do not rust, corrode or fade. This means there's no need for painting, scraping, sandblasting or replacing.

LIGHTWEIGHT, EASIER TO HANDLE

FRP composite products weigh considerably less than steel or aluminum, making it less expensive to transport, install, re-positioned or removed. It also reduces the need for heavy labor and costly equipment.

NON-CONDUCTIVE, FIRE RESISTANT

FRP composite products are superior insulating materials that can endure heat, temperature changes, and electrically hazardous conditions, ideal for those working in industries that require extra safety.

It also alleviates flammability concerns as it resists electrical sparks, has a low smoke and toxic fume emissions, and has no magnetic field.

MORE DURABLE THAN UHPC/ CONCRETE

Once installed the FRP Panels tank becomes completely inert. It thus has outstanding durability and optimum strength throughout. When compared to other materials, fiberglass offers a myriad of benefits:

No deterioration

Unlike concrete/UHPC, FRP/ fiberglass contains no metal and undergoes no degradation over time. Indeed there is no galvanic action on the armature that may degrade performance.

No internal or external corrosion

The FRP never rusts since it contains no metal reinforcement. Moreover, the non-porous smooth interior finish prevents the proliferation of algae, bacteria or microbes (MIC, microbial induced corrosion).

No structural weakness

Unlike concrete/ UHPC, FRP is non-porous material which undergoes no dilation. This stability provides a complete seal and prevents any possible cracks due to expansion and contraction over time.

Without Maintenance, Unlike Concrete,

Thanks to its monohull and impermeable nature, FRP Panels requires no maintenance program nor any waterproofing coating. Thus, it conveniently simplifies your operations.

Much Lighter then Concrete / UHPC


A FRP Panel is almost 30 times lighter than a comparable UHPC Panels. Forget the heavy cranes and enjoy the substantial savings.

Easy handling


This extraordinary lightness facilitates transportation, installation and relocation. In addition, the strength and structure of the monocoque FRP make a product that can withstand the worst installation conditions.

Comparison of Mechanical property

Properties	GRC / UHPC	FRP
Average compressive strength	128 MPa	220 MPa
Flexural/Tensile strength	40 MPa	159 MPa
Average Density	2500 kg/ M3	1800 kg/ M3



"Al Jassra" GRP Roofing & Cladding Sheet Panels



GRP roof and cladding sheets offer a high quality and flexible roof sheeting solution with a long lifespan. Made from high quality polyester resins and glassfibre reinforcements, they add high mechanical strength properties to the product. Sheets can be made to order up to 13 meters long and from 1.5mm to 6mm thick according required application and profile.

- Manufactured to required customer lengths up to 13m long with a wide range of profiles available.
- All types of farm buildings especially green housing and poultry housing due to non corrosive qualities.
- Industrial Buildings, Factories & Warehouses especially on exposed to corrosive fumes for example salt & fertilizer factories, paper mills and petrochemical & chemical plants.
- Renovation, Re-cladding and over-sheeting of old metal or asbestos roofing.

Installation of the Al jassra GRP Sheets has proven to require 25% of the time for fitting big 6 fibre cement a 2.3mm sheet has the been structural as the same as big six but only weighs around 30% of the big six fibre cement sheet. The sheeting is fixed to the timbers by Screwing directly to the sheets without pre drilling.

Due to the lightweight and structurally strong properties of Al Jassra GRP Sheets, sheeting construction costs can be reduced since they do not require a heavy structure to carry the roofs weight.

Al Jassra sheeting requires no maintenance, are resistant to corrosion and have a low thermal conductivity making it a leading roofing product now been used worldwide in many applications.

- Available in Different Profiles including big six box and profile 3 corrugated
- Sheets comes in any range of Ral colours to suit any customer's requirement with Grey, Dark Grey, Green, Brown and Blue being commonly used.
- The standard thicknesses to suit most applications are from 1.5 to 3mm but it can be produced up to 6mm for special projects.
- Its service temperature is between -40°C to +120°C with a heat transmission coeff of ~5W/m²K
- All types of accessories are available for the ridge capping, corner pieces and gutters.



AL JASSRA
FIBERPLAST

الجسرة فايبر بلاست AL JASSRA FIBERPLAST

GRP Carpark Sheds

The benefit of fiberglass car parks, that reduces the heat and it will be a best solution for Qatar market specially on summer times, the wide varieties of GRP car parking shades in Gulf regions are readily designed in standard dimensions for immediate installation. This type can be installed individually or in series form depending upon the specified plan layout for the shade. Our car parking shade of superior quality with good quality material for strength and durability and with the GRP of special quality in variety of colors within affordable/reasonable rates. These shades are design for maximum protection of the vehicle from the sun rays and may be use as convenient alternative of traditional garage.



P.O. Box : 23300, Doha - Qatar, C.R No. : 122339, Tel: (+974) 4432 6930, Fax: (+974) 4432 1102

E-mail: info@aljassra-fiberplast.com, Website : www.aljassra-fiberplast.com



AL JASSRA
FIBERPLAST

الجسرة فايبر بلاست AL JASSRA FIBERPLAST

Fiberglass Flower Pots

Using fiberglass to produce flower pots with desired style.






AL JASSRA
FIBERPLAST

الجسرة فايبر بلاست AL JASSRA FIBERPLAST

Fiberglass / GRP Domes






AL JASSRA
FIBERPLAST

الجسرة فايبر بلاست AL JASSRA FIBERPLAST

ARE YOU IN NEED OF **BOAT REPAIR?**

It would be our privilege to work with you.

- ✓ **Reliable Service**
- ✓ **Experienced Staff**
- ✓ **Competitive Pricing**



AL JASSRA
FIBERPLAST



P.O. Box : 23300, Doha - Qatar, C.R No. : 122339, Tel: (+974) 4432 6930, Fax: (+974) 4432 1102

E-mail: info@aljassra-fiberplast.com, Website : www.aljassra-fiberplast.com