pipeline

SUPPLIES & SERVICES CO. W.L.L
DOHA - QATAR

شركة بايب لاين
للخدمات والتوزيع .ذ.م.م
الدوحة - قطر

CERTIFIED ISO 9001:2015 COMPANY

توطين TAWTEEN

ICV IN-COUNTRY VALUE CERTIFIED

TÜV SÜD

Tel: +974 4444 4438 (5 Lines) Fax: +974 4444 4483
P.O. Box: 23630, 5th Floor, Sheikh Saoud Towers, Grand Hamad Street, Doha, Qatar
Email: info@pipelineqatar.com - www.pipelineqatar.com

ABOUT US

PIPELINE SUPPLIES AND SERVICES CO. W.L.L is established in the year 2006 under the patronage of our chairman, H.E. Sheikh Jassim Bin Saud Bin Fahad Jassim Al Thani. Since its inception, Pipeline have been taking all efforts to be one of the leading Stockiest and distributors of Pipes, Fittings, Flanges, Valves, Fire Fighting Equipment and Accessories, Chilled water Pumps and accessories, Lifting Tackles, Hoses and Fittings etc. directly to end-users and through distributor channels. Our clientele constitutes top-notch companies such as government and semi government establishments, Oil and Gas Cos., Chemical and Petrochemicals Cos., Steel, Fertilizer and Cement Cos., International and Local EPC Contractors and leading elector-mechanical and contracting companies in Qatar.

OUR BUSINESS DEFINITION

Pipeline are committed to the development of products and services on the basis of project requirement by our esteemed clients. We are taking efforts tirelessly to introduce diversified product range to meet the requirement of all major customers segments. We are always keen in tuning our attitude towards professional management and the dedication to deliver superior quality products and services to our customers.

OUR OBJECTIVE

Provide competitive price, quality products, ex-stock availability and on-time services to customers. Ensure customer satisfaction always. Nurture the Culture of team work and dedication to quality in the organization. Create and develop healthy business environment for continual improvement

OUR ASSETS

Pipeline, as a fast growing company always believe that employees are our most important assets. Our true assets are our professionally qualified personnel who convert opportunities into realities. Our dedicated team of staff members contribute as a team to the accomplishment of our dreams.

BUSINESS ETHICS

We believe in transparent relationship with our Suppliers and Customers. We also believe in transferring maximum benefit to the products and services availed from us. Establishment of a healthy business relationship is our primary objective.

OPERATING DIVISIONS

OIL & GAS FIELD SUPPLIES

MEP SUPPLIES

FIREFIGHTING EQUIPMENT & ACCESSORIES

LUBRICANTS & CHEMICAL SUPPLIES

WELDING & CUTTING CONSUMABLES

HIGH PRESSURE EQUIPMENT & TOOLS

ELECTRICAL PRODUCTS SUPPLIES

PIPES

DESCRIPTION	GRADE	SIZE RANGE	MAKE / ORIGIN
CARBON STEEL SEAMLESS PIPES	A53 / A106 / API 5L GRADE B (NACE - MR -0175)	1/2" - 24"	INTERPIPE - UKRAINE / JINDAL SAW - INDIA
CARBON STEEL ERW BLACK & GALVANIZED PIPES	A53 GRADE A - B API 5L - A53, GRADE B (NACE MR-0175)	1/2" - 16"	AL JAZEERA STEEL - OMAN / UNIVERSAL TUBES & PIPES (UTP) - UAE
CARBON STEEL SAW PIPES	API 5L / ASTM A671/ 672 (UP TO GRADE X-70)	12" - 135 "	HYSCO (HYUNDAI) - KOREA / SEAH - KOREA
STAINLESS STEEL SEAMLESS PIPES / TUBES	ASTM A312 GRADE 304 / L - 316 / L	1/2" - 16"	SANDVIK - SWEDEN / SUPERIOR STEEL - INDIA
STAINLESS STEEL WELDED PIPES	ASTM A312 GRADE 304 / L - 316 / L	1/2" - 16"	FROCH / YC-INOX - TAIWAN

NOTE : OTHER SIZES AND GRADES ARE AVAILABLE UPON REQUEST

CS/SS BUTT WELD FITTINGS

DESCRIPTION	GRADE	SIZE RANGE	MAKE / ORIGIN
CARBON STEEL BUTTWELD FITTINGS	A234 WPB / WPL6 / WPHY	1/2" - 24"	BKL - THAILAND
STAINLESS STEEL BUTTWELD FITTINGS	ASTM A403 GRADE 304 / L - 316 / L	1/2" - 12"	BKL - THAILAND

CS/SS FORGED FITTINGS

DESCRIPTION	GRADE	SIZE RANGE	MAKE / ORIGIN
FORGED CARBON STEEL FITTINGS SCREWED / SOCKETED	ASTM A105 CLASS 3000 / 6000	1/2" - 4"	JD - FRANCE
FORGED STAINLESS STEEL FITTINGS SCREWED / SOCKETED	ASTM A182 SS316L / 304L CLASS 3000/6000	1/2" - 4"	

GROOVED FITTNGS

DESCRIPTION	GRADE	SIZE RANGE	MAKE / ORIGIN
DI GROOVED FITTINGS	ASTM A536	1" - 24"	NATIONAL - INDIA / JINTONG - CHINA
SS GROOVED FITTINGS	ASTM A351 GRADE 304 / 316	1 - 1/4" - 8"	NATIONAL - INDIA

MALLEABLE IRON / THREADED FITTINGS

DESCRIPTION	GRADE	SIZE RANGE	MAKE / ORIGIN
MI / GI THRD	A197 / ASME B163	1/4" - 6"	SIAM - THAILAND

FLANGES

DESCRIPTION	GRADE	SIZE RANGE	MAKE / ORIGIN
FORGED CARBON STEEL WELDNECK - BLIND - SLIPON SOCKET WELD - THREADED	ASTM A105N CLASS 150 - 300 - 600 - 900 - 1500 - 2500	1/2" - 24" RF & RTJ	ST CORP. - KOREA / NEFIT - NETHERLAND
FORGED STAINLESS STEEL WELDNECK - BLIND - SLIPON SOCKET WELD - THREADED	ASTM A182 GRADE 304/L- 316/L CLASS 150 - 300 - 600	1/2" - 24" RF	ST CORP. - KOREA
FORGED CARBON STEEL WELDNECK - BLIND - SLIPON - SOCKET WELD - THREADED	BS 4504 PN16 / PN25	1/2" - 24" RF	ST CORP. - KOREA / NEFIT - NETHERLAND
FORGED STAINLESS STEEL WELDNECK - BLIND - SLIPON - THREADED	BS 4504 PN16 / PN25 GRADE 316 / L	1/2" - 12" RF	ST CORP. - KOREA / NEFIT - NETHERLAND
COPPER ALLOY & BI METALLIC FLANGES	BS EN 1092-3 (BS 4504)	DN 15 - 250	EASYFLEX - INDIA

CARBON STEEL / STAINLESS STEEL VALVES

DESCRIPTION	GRADE	SIZE RANGE	MAKE / ORIGIN
DIAPHRAM VALVES	CI, DI, WCB, CF8, CF8M	1/2" - 14"	ARFLU VALVES - SPAIN
DIAPHRAM & BUTERFLY VALVE FOR HYGIENE	CF8, CF8M, CF3, CF3M	1/2" - 4"	
PLUG VALVES	ASTM A216 WCB / SS 316L	1/2" - 24"	
BALL VALVE (ONE PIECE)	EN8, WCB, CF8, CF8M, CN7M ETC. CLASS 150, 300, 800	1/4" - 2" SCREWED 1/2"- 10" FLANGED	
BALL VALVE (TWO PIECE)	WCB, LCB, CF8, CF8M, CF3,CF3M, CD4MCU, CN7M,H-B, H-C ETC. CLASS 150 - 1500	1/2" - 12" FLANGED / WELD	
BALL VALVE (THREE PIECE)	A105, F304, F316, WCB, CF8,CF8M,CN7M ETC. CLASS 600, 800, 1500	1/2" - 2" SCREWED / WELD	
BALL VALVE - TRUNNION MOUNTED	WCB, LCB, CF8, CF8M, CF3,CF3M, CD4MCU, CN7M, H-B, H-C ETC. CLASS 150 - 1500	2" - 60" FLANGED / WELD	
BALL VALVE - TRUNNION MOUNTED	WCB, LCB, CF8, CF8M, CF3, CF3M, CD4MCU, CN7M,H-B, H-C ETC. CLASS 150 - 1500	2" - 60" FLANGED / WELD	
BUTTERFLY VALVES	CI, DI, WCB, CF8, CF8M	1-1/4" - 96"	
BUTTERFLY VALVES RUBBER LINED BODIES	CI, DI, WCB PN 6 / PN 10 / PN 16	14" - 48"	
CAST / FORGED STEEL VALVES	WCB, LCB, CF8, CF8M, CF3, CF3M, CD4MCU, CN7M, H-B, H-C ETC.CLASS 150 - 1500	1/2" - 48"	
PFA/PTFE LINED VALVES	DI OR WCB WITH LINING PN6, 10 & CLASS 150	1/2" - 24"	
CAST IRON VALVES	PN 10 / PN16 / CLASS 150	1" - 12"	

BRASS / BRONZE & CAST IRON / DUCTILE IRON VALVES

DESCRIPTION	GRADE	SIZE RANGE	MAKE / ORIGIN
BALL / GATE / GLOBE / CHECK VALVE, STRAINER AND DRV	BRASS / BRONZE	1/2" - 4"	BELVEN - BELGIUM / ITAP - ITALY
BALL / GATE / GLOBE / CHECK/ BALANCING VALVE AND STRAINER	CAST IRON / DUCTILE IRON	2" - 24"	BELVEN - BELGIUM / WEFLO, UK
BUTTERFLY VALVE	CAST IRON / DUCTILE IRON	1-1/2" - 72"	BELVEN - BELGIUM / ST CORP. - KOREA / WEFLO – UK
PRESSURE REDUCING VALVE	BRASS / BRONZE	1/2" - 2"	BELVEN-BELGIUM / ITAP – ITALY
PRESSURE REDUCING /RELIEF VALVE	CAST IRON / DUCTILE IRON	2" - 12"	CLA-VAL - SWITZERLAND / BELVEN-BELGIUM
WATER SAFETY, FLOW CONTROL AND BACKFLOW PREVENTION PRODUCTS	CI / DI	2.5" - 12"	BELVEN - BELGIUM
METAL EXPANSION JOINT	STAINLESS STEEL	1-1/2" - 102"	EASYFLEX - INDIA / BELVEN - BELGIUM
RUBBER FLEXIBLE CONNECTION	EPDM / SYNTHETIC RUBBER	1/2" - 24"	WEFLO - UK / BELVEN - BELGIUM / EASYFLEX - INDIA
AUTOMATIC AIRVENT / FOOT VALVE / SUCTION DIFFUSER	CAST IRON / BRASS	1/2" - 8"	WEFLO - UK / ITAP - ITALY / BELVEN - BELGIUM
SOLENOID VALVES	BRASS	1/4" - 2"	CEME - UK
VALVE ACTUATOR	AS PER CUSTOMER REQUIREMENT		I-TORK - KOREA

PIPE SUPPORTS & HANGERS / HVAC ACCESSORIES

DESCRIPTION	GRADE	SIZE RANGE	MAKE / ORIGIN
PIPE HANGERS / SUPPORTS	GI	1/2" - 8"	TEMBO GLOBAL - INDIA / EASYFLEX - INDIA
RUBBER SUPPORT INSERT & CLAMPS	GI	-	TEMBO GLOBAL - INDIA / EASYFLEX - INDIA
VIBRATION / SEISMIC ISOLATION	-	-	TEMBO GLOBAL - INDIA / EASYFLEX - INDIA
PRESSURE GAUGE / THERMOMETERS	-	-	WINTERS - CANADA
STUD BOLTS / HEX BOLTS	A193B7 / 2H / A307 / 10.9 / 8.8 / 12.9	1/2" - 2" M6 - 50MM	ROLLSTUD
GASKETS	RUBBER / CNAF / SPIRAL WOUND	1/2" - 24" / SHEETS	FEROLITE / FLEXITALLIC

CHEMICALS / LUBRICANTS & SPECIALITY GREASES / MRO CONSUMABLES

DESCRIPTION	GRADE	SIZE RANGE	MAKE / ORIGIN
AUTOMIBILE & INDUSTRIAL LUBRICANTS & GREASES	ENGINE OIL 15W40,10W40,5W30,5W40 20W50,ETC.. GEAR OIL 80W90,85W140, VG220 VD320,VG460,ETC.. HYDRAULIC OIL VG32,VG46,VG68,ETC.. COMPRESSOR OIL VG68 ATF III GREASE:EP2/MP/MP2/MP3	210 LTR DRUM 20 LTR PAIL 5 LTR CAN	PETROCANADA / CANADA BHARATH PETROLEUM (MAK LUBRICANTS) - INDIA / GANDHAR OIL - INDIA
ANTI FREEZE COOLANT / CUTTING OIL	READY TO USE 50/50	210 LTR , 20LTR	GANDHAR OIL / CHEMTEX - INDIA
DRILLING COMPOUNDS	CSSB,COPR99,ZN50, ZN60, API MODIFIED, STORAGE COMPOUND,3010 ULTRA KOPRKOTE, KORRGUARD	5 GALLON PAIL	BESTOLIFE - USA JETLUBE - USA
BOP CONTROL FLUID	ERIFON CLS 25,CLS 40 OCEANIC HW443,ECS,HD603HP, OCEANIC EPF	205 LTR , 20LTR	MACDERMID OFFSHORE -UK
VALVE / HIGH TEMP GREASES	EZYTURN POLAR,196HP, ARCTIC#3,JETPLEX EP, ALCO EP73,JACKING SYSTEM GREASE,WLD	5 GALLON PAIL	JETLUBE - USA
MRO GREASES & LUBRICANTS / ANTI SEIZE COMPOUNDS / CORROSION INHIBITORS	MOLYKOTE 55,44,1000,111 GN PLUS PASTE,RTV,P37, LT-2,P74 MOLYSLIP COPASLIP,X10, X12,X30,LQG,MQL20,WRL	1KG, 500GM TIN 400ML AEROSOL	MOLYKOTE - USA MOLYSLIP - UK
NDT CHEMICALS	DYE PENETRANT TESTCLEANER / DEVELOPER / PENETRANT MPI PROCESS - BLACK INK,WCP,FLOURESCENT	400ML AEROSOL	CALLINGTON SHERWIN - AUSTRALIA

STRUCTURAL STEEL ITEMS (SS, MS, GI)

DESCRIPTION	GRADE	SIZE RANGE	MAKE / ORIGIN
SCAFFOLDING PIPES / HOLLOW SECTIONS	MS / GI	-	AL JAZEERA STEEL OMAN
STRUCTUAL STEEL (PLATES / BEAMS / CHANNELS / ANGLES / FLAT BAR / ROUND BARS)	MS /CS / SS / ALUMINIUM	-	AL JAZEERA STEEL OMAN
ALUMINIUM / GI SHEET	0.7 MM - 4.0 MM	-	HINDALCO – INDIA / JINDAL - INDIA
STAINLESS STEEL SHEETS / PLATES	SS 316 / 304	1MM - 12MM	YC - INOX TAIWAN
HEX BAR / ROUND BAR	HIGH CARBON STEEL (EN 8 EN 24) BRASS / BRONZE / ALUMINIUM	-	EUROPE / TURKEY
HARDOX PLATE	400 / 450 / 500 / 600	3MM - 50MM	SSAB - SWEDEN
GRATINGS	A36 / 527SJR	-	KOREA

WELDING / CUTTING CONSUMABLES

DESCRIPTION	GRADE	SIZE RANGE	MAKE / ORIGIN
WELDING ELECTRODES	MS - 6013 / CS - 7018 / SS - 308 / 309 / 310 / 316 CI - ENIFE - CI ALLOY - NICRMO - 3	3.5 / 3.2 / 4MM	STANVAC SUPERON - INDIA
FILLER WIRES	MIG - 308L / 309L / 310L - ER70S - 6 TIG - 308L / 309L / 310L	0.8 - 2.4MM	STANVAC SUPERON - INDIA / KUANG TAI - VIETNAM
FLUX CORED WIRE	E71T - 1C	0.8 - 2.4MM	KUANG TAI - VIETNAM
WELDING CONSUMABLES	ANTISPATTER SPRAY WD 40 / EQUIVALENT ZINC SPRAY CONTACT CLEANER PICKLING PASTE GLOVES COTTON RAGS	400 ML AEROSOL CAN GLOVE PAIRS BUNDLES	STANVAC SUPERON - INDIA / KUANG TAI - VIETNAM SUPER WELD
CUTTING & GRINDING CONSUMABLES	CUTTING DISC FLAP DISC GRINDING DISC DIAMOND CUP WHEELS DIAMOND SAW BLADES	100MM - 405MM	CUMET - CHINA
SAND BLASTING GARNETS	30/60, 20/40, 80/100	2 METRIC TON JUMBO BAGS	GMA GARNET - AUSTRALIA
COPPER SLAGS	10 MESH 33-40% 18 MESH 40-42% 44 MESH 16-17% 72 MESH 2.5- 4.5% 100 MESH 0.5-2.0% UNDER 100 MESH 0.3 – 1.7 %	1 METRIC TON JUMBO BAGS	INDIA

FIRE FIGHTING VALVES & ACCESSORIES (UL LISTED / FM APPROVED)

DESCRIPTION	MAKE / ORIGIN
AUTOMATIC FIRE SPRINKLERS	VIKING - USA
ALARM CHECK VALVE ASSEMBLY	VIKING - USA / WEFLO, UK
DELUGE SYSTEM	VIKING - USA
GATE VALVE / OS & Y / NRS, CHECK VALVE, BUTTERFLY, STRAINER (FLANGED / GROOVED)	WEFLO - UK / NIBCO - USA / FIREWALL - USA / VIKING - USA
PRESSURE REDUCING & RELIEF VALVES	CLA-VAL - SWITZERLAND
THREADED BRONZE VALVES (GATE / GLOBE / BALL / CHECK / STRAINER)	NIBCO-USA / FIREWALL - USA
ANGLE VALVE / LANDING VALVE / PRESSURE RESTRICTING VALVES	GIACOMINI – ITALY / POTTER ROEMER – USA / NEWAGE - INDIA
TEST & DRAIN VALVE	AGF – USA / GIACOMINI - ITALY
FIRE PUMP FLOW METER	GERAND ENGINEERING - USA
AUTOMATIC AIR VENT / AIR RELEASE VALVE	VALMATIC, USA / WEFLO - UK

FIRE FIGHTING VALVES & ACCESSORIES (UL LISTED / FM APPROVED)

DESCRIPTION	MAKE / ORIGIN
FIRE HYDRANTS & ACCESSORIES	WEFLO - UK
4 WAY FIRE HYDRANTS	NEWAGE INDUSTRIES - INDIA
VALVE BOX	MUELLER – USA / SIGMA - INDIA
INDICATOR POST	WEFLO – UK
SIGNALING DEVICES	POTTER -USA / SYSTEM SENSOR - USA
PRESSURE GAUGES	VIKING / WIKA - USA / AGF - USA
SYNTHETIC FIRE HOSE, NOZZLE & HOSE ADAPTORS	NEW AGE INDUSTRIES- INDIA
FIRE HOSE CABINET / HOSE ASSEMBLIES / BREECHING INLET / CABINET	FIREKING - UAE / SFFECO - KSA / HLC - CHINA
FIRE EXTINGUISHERS / FIRE BLANKETS	SFFECO – KSA / FIREKING - UAE / KX FIRE - CHINA
FIRE PUMPS UL / AM APPROVED	ARMSTRONG - USA / SFFECO - KSA

HIGH PRESSURE EQUIPMENT & TOOLS

PRODUCT / DESCRIPTION	MAKE / ORIGIN
AIR DRIVEN LIQUID PUMPS UP TO 7000 BAR	MAXIMATOR - GERMANY
AIR DRIVEN AIR AMPLIFIERS UP TO 100BAR	
AIR DRIVEN GAS BOOSTERS UP TO 2,400 BAR	
STANDARD & CUSTOMIZED POWER UNITS USING PUMPS	
HYDRAULIC POWER PACKS	
PRESSURE TEST UNITS	
PACKAGED AMPLIFIER UNITS	
GAS BOOSTER STATIONS / SKIDS	
GAS & WATER ASSIST SYSTEMS	
PRESSURE PARTS FOR VALVE TEST BENCHES	
AIR DRIVEN CHEMICAL INJECTION PUMPS	
CHEMICAL INJECTION SKIDS / PACKAGES	
BOP CONTROL PANELS	
UMV & DHSV CONTROL PANELS	
EMERGENCY SHUT DOWN (ESD) PANELS	
HIGH PRESSURE ENGINEERED & CUSTOMIZED HYDRAULIC SOLUTION	
CONTAINERIZED & STRUCTURAL FABRICATED TEST CELLS FOR WORKSHOP AND FOR SITES	

HIGH PRESSURE EQUIPMENT & TOOLS

DESCRIPTION	MAKE / ORIGIN
MAXDRV SERIES SQUARE DRIVE TORQUE WRENCHES COMPACT DESIGN, CONSTRUCTED OF ALUMINUM ALLOY AND HIGH STRENGTH STEEL ALLOY FOR INCREASED STRENGTH AND DURABILITY WHILE MINIMIZING THE WEIGHT. THE MAXDRV SERIES IS AVAILABLE IN A 64 FT-LBS. TO 18,446 FT-LBS. (86 NM - 25,009 NM) TORQUE RANGE.	TORSIONX USA
THE RUFNEX EXTRA LOW CLEARANCE TORQUE WRENCHES ESSENTIAL FOR LIMITED CLEARANCE APPLICATIONS. THE RUFNEX SERIES HAS MANY OF THE SAME SPECIFICATIONS AS THE HEXPRO SERIES, PLUS: • REDUCED WIDTH • REDUCED RADIUS • FITS INTO TIGHT LOCATIONS • STANDARD 4HP POWER HEAD WILL OPERATE THIS RATCHET LINK	
PWRPAX HYDRAULIC TORQUE WRENCH PUMPS **XP-115 MULTI-PORT POWER PACK** • RUNS UP TO FOUR HYDRAULIC TORQUE WRENCHES • THREE-SPEED HIGH PERFORMANCE PUMP • EXTERNAL ADJUSTABLE PRESSURE REGULATOR • HEAVY DUTY ROLL CAGE • REMOTE CONTROL ASSEMBLY • COOLING SYSTEM • 10,000 PSI / 690 BAR **XP-AIR MULTI-PORT POWER PACK** • RUNS UP TO FOUR HYDRAULIC TORQUE WRENCHES • THREE-SPEED HIGH PERFORMANCE PUMP • EXTERNAL ADJUSTABLE PRESSURE REGULATOR • HEAVY DUTY ROLL CAGE • REMOTE CONTROL ASSEMBLY • 10,000 PSI / 690 BAR	
ABCART CART SERIES EXTRA LOW CLEARANCE TORQUE WRENCH ARE ESSENTIAL FOR LIMITED CLEARANCE APPLICATIONS. THE ABCART SERIES UTILIZES STANDARD HEXPRO POWER HEADS. • OPEN SPANNER LINKS • CLOSED SPANNER LINKS • FITS INTO TIGHT LOCATIONS	

HIGH PRESSURE EQUIPMENT & TOOLS

DESCRIPTION	MAKE / ORIGIN
GROOVING MACHINES • (HYDRAULIC) RANUMATIC "COMBI" UNIVERSAL • (MANUAL) RANUMATIC UNIVERSAL	EGAMASTER - SPAIN
THREADING MACHINES • ROSCAMATIC 50 - 2 • ROSCAMATIC - 2 "COMBI" • ROSCAMATIC 80 - 3 • ROSCAMATIC 100 - 4	
BENDING MACHINES • HYDRAULIC PIPE BENDER CURVAMATIC • HYDRAULIC PIPE BENDER CURVAMATIC WITH ANGLE MEASURER	
HYDRAULIC MANUAL TESTING PUMPS • 60009 - HYDRAULIC TEST PUMP - 100 BAR	

INDUSTRIAL / HYDRAULIC HOSES & fITTINGS

DESCRIPTION	SIZE RANGE	MAKE / ORIGIN
INDUSTRIAL HOSES • R8 (CONDUCTIVE) • INDUSTRIAL WELDING TWINLINE • AIR HOSE • RUBBER AIR HOSE • STEAM HOSE, WIRE REINFORCED • RUBBER SAND BLASTED HOSE • BLOWOUT PREVENTER HOSE • RUBBER CHEMICAL HOSE • OIL SUCTION & DISCHARGE/HELIX WIRE • OIL/PETROLIUM SUCTION HOSE • WATER SUCTION & DISCHARGE HOSE • WATER SUCTION & DISCHARGE /HELIX WIRE • CEMENT HOSE **HYDRAULIC HOSES** • WIRE BRAIDED HY.HOSE	6MM - 300MM	EATON - DANFOSS
HAMMER UNION	1'' - 12'' FIG 50 TO FIG 2202	ADFO - INDIA SARASAE - INDIA
WHIPCHECK	1/4" - 12"	SUNPOOL - TAIWAN
CAMLOCK COUPLINGS		
DOUBLE BOLT CLAMPS		
KING NIPPLES		
HOSE MENDER		
STORZ COUPLING		



ELECTRICAL PRODUCTS SUPPLIES DIVISION

OUR PRODUCTS

Multi Core Power and FR Cables (PVC, LSF & MGT)
Single Core Wires (PVC, LSF & MGT)
Heat Resistant Flexible Cables and Instrumentation Cables
Isolators – (Metal & PVC)
Earthing & Lightning Protection Materials
MICC Cables & Accessories | Light Duty & Heavy Duty
GI Conduits & Accessories
PVC Conduits & Accessories
Emergency and Fire Alarm Cables & Accessories
LV Switch Gear - SMDB, DB, MCCB, MCB & ELCB
LED Luminaires – (High Bay Lamps , Flood Lights , Panel Lights, Down lights)
Wiring Devices (Switches , Extension Sockets)
Digital Energy meter

OUR SOURCE

نحاس عمان NUHAS OMAN · tenby · KME · Rosi Energy for You · telergon gorlan · Life Is On Schneider Electric · HEX Brass Copper & Alloy (I) Ltd. · furse · SCAME electrical solutions · British BG General · Precision Pipes & Fittings

CLIENTS

PRINCIPAL COMPANIES

PIPE DIMENSIONS AND WEIGHT

PIPES THICKNESS CHART (INCHES)															Figures based on austenitic steel				Shipping
NP Inches	OD Inches	10	20	30	STD	40	60	XS	80	100	120	140	160	XXS	5S	10S	40S	80S	Vol / m m³
1/8	0.405				0.068 0.24	0.068 0.24		0.095 0.31	0.095 0.31							0.049 0.19	0.068 0.25	0.095 0.32	0.004
1/4	0.540				0.088 0.42	0.088 0.42		0.119 0.54	0.119 0.54							0.065 0.33	0.088 0.43	0.119 0.54	0.007
3/8	0.675				0.091 0.57	0.091 0.57		0.126 0.74	0.126 0.74							0.065 0.43	0.091 0.57	0.126 0.74	0.011
1/2	0.840				0.109 0.85	0.109 0.85		0.147 1.09	0.147 1.09				0.188 1.31	0.294 1.71	0.065 0.54	0.083 0.68	0.109 0.86	0.147 1.09	0.014
3/4	1.050				0.113 1.13	0.113 1.13		0.154 1.47	0.154 1.47				0.219 1.94	0.308 2.44	0.065 0.70	0.083 0.88	0.133 1.15	0.154 1.50	0.025
1	1.315				0.133 1.68	0.133 1.68		0.179 2.17	0.179 2.17				0.250 2.84	0.358 3.66	0.065 0.87	0.109 1.43	0.133 1.71	0.179 2.21	0.039
1 ¼	1.660				0.140 2.27	0.140 2.27		0.191 3.00	0.191 3.00				0.250 3.76	0.382 5.21	0.065 1.13	0.109 1.85	0.140 2.32	0.191 3.06	0.064
1 ½	1.900				0.145 2.72	0.145 2.72		0.200 3.63	0.200 3.63				0.281 4.86	0.400 6.41	0.065 1.31	0.109 2.13	0.145 2.77	0.200 3.70	0.081
2	2.375				0.154 3.65	0.154 3.65		0.218 5.02	0.218 5.02				0.344 7.46	0.436 9.23	0.065 1.64	0.109 2.69	0.154 3.72	0.218 5.12	0.127
2 ½	2.875				0.203 5.79	0.203 5.79		0.276 7.66	0.276 7.66				0.375 10.01	0.552 13.69	0.083 2.53	0.120 3.60	0.203 5.91	0.276 7.81	0.187
3	3.500				0.216 7.58	0.216 7.58		0.300 10.25	0.300 10.25				0.438 14.32	0.600 18.58	0.083 3.09	0.120 4.42	0.216 7.76	0.300 10.46	0.279
3 ½	4.000				0.226 9.11	0.226 9.11		0.318 12.50	0.318 12.50						0.083 3.51	0.120 5.07	0.226 9.29	0.318 12.76	0.364
4	4.500				0.237 10.79	0.237 10.79		0.337 14.98	0.337 14.98		0.438 19.00		0.531 22.51	0.674 27.64	0.083 4.00	0.120 5.72	0.237 11.01	0.337 15.28	0.459
5	5.563				0.258 14.62	0.258 14.62		0.375 20.78	0.375 20.78		0.500 27.04		0.625 32.96	0.750 38.55	0.109 6.49	0.134 7.93	0.258 14.91	0.375 21.20	0.703
6	6.625				0.280 18.97	0.280 18.97		0.432 28.57	0.432 28.57		0.562 36.39		0.719 45.35	0.864 53.16	0.109 7.75	0.134 9.48	0.280 19.35	0.432 29.14	0.989
8	8.625		0.250 22.36	0.277 24.70	0.322 28.55	0.322 28.55	0.406 35.64	0.500 43.39	0.500 43.39	0.594 50.95	0.179 60.71	0.812 67.76	0.906 74.69	0.875 72.42	0.109 10.13	0.148 13.67	0.322 29.12	0.500 44.26	1.695
10	10.750		0.250 28.04	0.307 34.24	0.365 40.48	0.365 40.48	0.500 54.74	0.500 54.74	0.594 64.43	0.719 77.03	0.844 89.29	1.000 104.13	1.125 115.64	1.000 104.13	0.134 15.49	0.165 19.02	0.365 41.29	0.500 55.83	2.613
12	12.750		0.250 33.38	0.330 43.77	0.375 49.56	0.406 53.52	0.562 73.15	0.500 65.42	0.688 88.63	0.844 107.32	1.000 125.49	1.125 139.67	1.312 160.27	1.000 125.49	0.156 21.40	0.180 24.65	0.375 50.55	0.500 56.73	3.673
14	14.000	0.250 36.71	0.312 45.61	0.375 54.57	0.375 54.57	0.438 63.44	0.594 85.05	0.500 72.09	0.750 106.13	0.938 130.85	1.094 150.79	1.250 170.21	1.406 189.11		0.156 23.33	0.188 28.28			4.450
16	16.000	0.250 42.05	0.312 52.27	0.375 62.58	0.375 62.58	0.500 82.77	0.656 107.50	0.500 82.77	0.844 136.61	1.031 164.82	1.219 192.43	1.438 223.64	1.594 245.25		0.165 28.46	0.188 32.39			5.287
18	18.000	0.250 47.39	0.312 58.94	0.438 82.15	0.375 70.59	0.562 104.67	0.750 138.17	0.500 93.45	0.938 170.92	1.156 207.96	1.375 244.14	1.562 274.22	1.781 308.50		0.165 32.26	0.188 36.48			7.345
20	20.000	0.250 52.73	0.375 78.60	0.500 104.13	0.375 78.60	0.594 123.11	0.812 166.40	0.500 104.13	1.031 208.87	1.281 256.10	1.500 296.37	1.750 341.09	1.969 379.17		0.188 40.38	0.218 46.98			9.111
22	22.000	0.250 58.07	0.375 86.61	0.500 114.81	0.375 86.61		0.875 197.41	0.500 114.81	1.125 250.81	1.375 302.88	1.625 353.61	1.875 403.80	2.125 451.06		0.188 44.68	0.218 51.72			11.018
24	24.000	0.250 63.41	0.375 94.62	0.562 140.68	0.375 94.62	0.688 171.29	0.969 238.35	0.500 125.49	1.219 296.58	1.531 367.39	1.812 429.39	2.062 483.12	2.344 542.13		0.218 56.46	0.250 64.68			13.137
26	26.000	0.312 85.60	0.500 136.17		0.375 102.63			0.500 136.17											15.361
28	28.000	0.312 92.26	0.500 146.85	0.625 182.73	0.375 110.64			0.500 146.85											17.833
30	30.000	0.312 98.33	0.500 157.53	0.625 196.08	0.375 118.65			0.500 157.53							0.250 80.02	0.312 100.91			20.482
32	32.000	0.312 105.59	0.500 168.21	0.625 209.43	0.375 126.66	0.688 230.08		0.500 168.21											23.307
34	34.000	0.312 112.25	0.500 178.89	0.625 222.78	0.375 134.67	0.688 244.77		0.500 178.89											26.344
36	36.000	0.312 118.92	0.500 189.57	0.625 236.13	0.375 142.68	0.750 282.35		0.500 189.57											29.487
38	38.000				0.375 150.69			0.500 200.25											32.877
40	40.000				0.375 158.70			0.500 210.93											36.444
42	42.000				0.375 166.71			0.500 221.61											40.187

NP = NOMINAL PIPE SIZE INCHES = WALL THICKNESS WEIGHT = LBS/FT

PIPE DIMENSIONS AND WEIGHT

PIPES THICKNESS CHART (MM)															Figures based on austenitic steel				Shipping
NP Inches	OD mm	10	20	30	STD	40	60	XS	80	100	120	140	160	XXS	5S	10S	40S	80S	Vol / m m³
1/8	10.30				1.73 0.37	1.73 0.37		2.41 0.47	2.41 0.47							1.24 0.28	1.73 0.36	2.41 0.48	0.0001
1/4	13.70				2.24 0.63	2.24 0.63		3.02 0.80	3.02 0.80							1.65 0.51	2.24 0.64	3.02 0.82	0.0001
3/8	17.10				2.31 0.84	2.31 0.84		3.20 1.10	3.20 1.10							1.65 0.64	2.31 0.86	3.20 1.12	0.0003
1/2	21.30				2.77 1.27	2.77 1.27		3.73 1.62	3.73 1.62				4.78 1.95	7.47 2.55	1.65 0.82	2.11 1.01	2.77 1.30	3.73 1.65	0.0004
3/4	26.70				2.87 1.69	2.87 1.69		3.91 2.20	3.91 2.20				5.56 2.90	7.82 3.64	1.65 1.04	2.11 1.31	2.87 1.71	3.91 2.24	0.0007
1	33.40				3.38 2.50	3.38 2.50		4.55 3.24	4.55 3.24				6.35 4.24	9.09 5.45	1.65 1.33	2.77 2.13	3.38 2.55	4.55 3.29	0.0011
1 ¼	42.20				3.56 3.39	3.56 3.39		4.85 4.47	4.85 4.47				6.35 5.61	9.70 7.77	1.65 1.68	2.77 2.76	3.56 3.46	4.85 4.56	0.0018
1 ½	48.30				3.68 4.05	3.68 4.05		5.08 5.41	5.08 5.41				7.14 7.25	10.15 9.56	1.65 1.95	2.77 3.17	3.68 4.13	5.08 5.51	0.0023
2	60.30				3.91 5.44	3.91 5.44		5.54 7.48	5.54 7.48				8.74 11.11	11.07 13.44	1.65 2.44	2.77 4.01	3.91 5.54	5.54 7.63	0.0036
2 ½	73.00				5.16 8.63	5.16 8.63		7.01 11.41	7.01 11.41				9.53 14.92	14.02 20.39	2.11 3.77	3.05 5.36	5.16 8.81	7.01 11.64	0.0053
3	88.90				5.49 11.29	5.49 11.29		7.62 15.27	7.62 15.27				11.13 21.35	15.24 27.68	2.11 4.60	3.05 6.59	5.49 11.52	7.62 15.59	0.0079
3 ½	106.60				5.74 13.57	5.74 13.57		8.08 18.63	8.08 18.63						2.11 5.29	3.05 7.55	5.74 13.84	8.08 19.01	0.0103
4	114.30				6.02 16.07	6.02 16.07		8.56 22.32	8.56 22.32		11.13 28.32		13.49 33.54	17.12 41.03	2.11 5.96	3.05 8.52	6.02 16.40	8.56 22.77	0.0130
5	141.30				6.55 21.77	6.55 21.77		9.53 30.97	9.53 30.97		12.70 40.28		15.88 49.11	19.05 57.43	2.77 9.67	3.40 11.82	6.55 22.20	9.53 31.59	0.0199
6	168.30				7.11 28.26	7.11 28.26		10.97 42.56	10.97 42.56		14.27 54.20		18.26 67.56	21.95 79.22	2.77 11.55	3.40 14.13	7.11 28.33	10.97 43.42	0.0280
8	219.10		6.35 33.31	7.04 36.81	8.18 42.55	8.18 42.55	10.31 53.08	12.70 64.64	12.70 64.64	15.09 75.92	18.26 90.44	20.62 100.92	23.01 111.27	22.23 107.92	2.77 15.09	3.76 20.37	8.18 43.39	12.70 65.59	0.0480
10	273.10		6.35 41.77	7.80 51.03	9.27 60.31	9.27 60.31	12.70 81.55	12.70 81.55	15.09 96.01	18.26 114.75	21.44 133.06	25.40 155.15	28.58 172.33	25.40 155.15	3.40 23.08	4.19 28.34	9.27 61.52	12.70 83.19	0.0740
12	323.90		6.35 49.73	8.38 65.20	9.53 73.68	10.31 79.73	14.27 108.96	12.70 97.46	17.48 132.08	21.44 159.91	25.40 186.97	28.58 208.14	33.32 238.76	25.40 186.97	3.96 31.89	4.57 36.73	9.52 75.52	12.70 99.43	0.1040
14	355.60	6.35 54.69	7.92 67.90	9.53 81.33	9.53 81.39	11.13 94.55	15.09 126.71	12.70 107.39	19.05 158.10	23.83 194.96	27.79 224.65	31.75 253.56	35.71 281.70		3.96 35.06	4.78 42.14			0.1260
16	406.40	6.35 62.64	7.92 77.83	9.53 93.27	9.53 93.17	12.70 123.30	16.66 160.12	12.70 123.30	21.44 203.53	26.19 245.56	30.96 286.64	36.53 333.19	40.49 365.35		4.19 42.41	4.78 48.26			0.1650
18	457.00	6.35 70.57	7.92 87.71	11.13 122.38	9.53 105.16	14.27 155.80	19.05 205.74	12.70 139.15	23.83 254.55	29.36 309.62	34.93 363.56	39.67 408.26	45.24 459.37		4.19 47.77	7.78 60.46			0.2080
20	508.00	6.35 78.55	9.53 117.15	12.70 155.12	9.53 117.15	15.09 183.42	20.62 247.83	12.70 155.12	26.19 311.17	32.54 381.53	38.10 441.49	44.45 508.11	50.01 564.81		4.78 60.46	5.54 70.00			0.2580
22	559.00	6.35 86.54	9.53 129.13	12.70 171.09	9.53 129.13		22.23 294.45	12.70 171.09	28.58 373.83	34.93 451.42	41.28 527.02	47.63 600.63	53.98 672.26		4.78 66.57	5.54 76.10			0.3120
24	610.00	6.35 94.53	9.53 141.62	14.27 209.64	9.53 141.12	17.48 255.41	24.61 355.26	12.70 187.06	30.96 442.08	38.89 547.71	46.02 640.03	52.37 720.15	59.54 808.22		5.54 84.16	6.35 96.37			0.3720
26	660.00	7.92 127.36	12.70 202.72		9.53 152.87			12.70 202.72											0.4350
28	711.00	7.92 137.32	12.70 218.69	15.88 271.21	9.53 164.85			12.70 218.69											0.5050
30	762.00	7.92 147.28	12.70 234.67	15.88 292.18	9.53 176.84			12.70 234.67							6.35 120.72	7.92 150.36			0.5800
32	813.00	7.92 147.28	12.70 250.64	15.88 312.15	9.53 188.82	17.48 342.91		12.70 250.64											0.6600
34	864.00	7.92 167.20	12.70 266.61	15.88 332.12	9.53 200.31	17.48 364.90		12.70 266.61											0.7460
36	914.00	7.92 176.96	12.70 282.27	15.88 351.70	9.53 212.56	19.05 420.42		12.70 282.27											0.8350
38	965.00				9.53 224.54			12.70 298.24											0.9310
40	1016.00				9.53 236.53			12.70 314.22											1.0320
42	1067.00				9.53 248.52			12.70 330.19											1.1380

NP = NOMINAL PIPE SIZE MM = WALL THICKNESS WEIGHT = KG/METRE

FLANGE DATA TABLE

PCD COMPARISON IN BS 4504

SL. NO.	SIZE		BS 4504, PN 10				BS 4504, PN 16				BS 4504, PN 25				BS 4504, PN 40			
	mm	Inch	Flange OD	PCD	No of Hole	Hole Dia	Flange OD	PCD	No of Hole	Hole Dia	Flange OD	PCD	No of Hole	Hole Dia	Flange OD	PCD	No of Hole	Hole Dia
1	15	1/2"	95	65	4	14	95	65	4	14	95	65	4	14	95	65	4	14
2	20	3/4"	105	75	4	14	105	75	4	14	105	75	4	14	105	75	4	14
3	25	1"	115	85	4	14	115	85	4	14	115	85	4	14	115	85	4	14
4	32	1-1/4"	140	100	4	18	140	100	4	18	140	100	4	18	140	100	4	18
5	40	1-1/2"	150	110	4	18	150	110	4	18	150	110	4	18	150	110	4	18
6	50	2"	165	125	4	18	165	125	4	18	165	125	4	18	165	125	4	18
7	65	2-1/2"	185	145	4	18	185	145	4,8	18	185	145	8	18	185	145	8	18
8	80	3"	200	160	8	18	200	160	8	18	200	160	8	18	200	160	8	18
9	100	4"	220	180	8	18	220	180	8	18	235	190	8	22	235	190	8	22
10	125	5"	250	210	8	18	250	210	8	18	270	220	8	26	270	220	8	26
11	150	6"	285	240	8	22	285	240	8	22	300	250	8	26	300	250	8	26
12	200	8"	340	295	8	22	340	295	12	22	360	310	12	26	375	320	12	30
13	250	10"	395	350	12	22	405	355	12	26	425	370	12	30	450	385	12	33
14	300	12"	445	400	12	22	460	410	12	26	485	430	16	30	515	450	16	33
15	350	14"	505	460	16	22	520	470	16	26	555	490	16	33	580	510	16	36
16	400	16"	565	515	16	26	580	525	16	30	620	550	16	36	660	585	16	39
17	450	18"	615	565	20	26	640	585	20	30	670	600	20	36	685	610	20	39
18	500	20"	670	620	20	26	715	650	20	33	730	660	20	36	755	670	20	42
19	600	24"	780	725	20	30	840	770	20	36	845	770	20	39	890	795	20	48

PCD COMPARISON IN ANSI FLANGES

SL. NO.	SIZE		ANSI B16.5, #150				ANSI B16.5, #300				ANSI B16.5, #600				ANSI B16.5, #900				ANSI B16.5, #1500				ANSI B16.5, #2500			
	mm	Inch	Flange OD	PCD	No of Hole	Hole Dia	Flange OD	PCD	No of Hole	Hole Dia	Flange OD	PCD	No of Hole	Hole Dia	Flange OD	PCD	No of Hole	Hole Dia	Flange OD	PCD	No of Hole	Hole Dia	Flange OD	PCD	No of Hole	Hole Dia
1	15	1/2"	89.0	60.5	4	15.8	95.5	66.5	4	15.7	95.5	66.5	4	15.7	120.7	82.6	4	22.4	120.7	82.6	4	22.4	133.4	88.9	4	22.4
2	20	3/4"	98.5	69.9	4	15.8	117.5	82.6	4	19.1	117.5	82.6	4	19.1	130.0	88.9	4	22.4	130.0	88.9	4	22.4	139.7	95.3	4	22.4
3	25	1"	108.0	79.3	4	15.8	124.0	88.9	4	19.1	124.0	88.9	4	19.1	149.4	101.6	4	25.4	149.4	101.6	4	25.4	158.8	108.0	4	25.4
4	32	1-1/4"	117.5	88.9	4	15.8	133.5	98.6	4	19.1	133.5	98.6	4	19.1	158.8	111.3	4	25.4	158.8	111.3	4	25.4	184.2	130.0	4	28.4
5	40	1-1/2"	124.0	98.6	4	15.8	155.5	114.3	4	22.4	155.5	114.3	4	22.4	177.8	124.0	4	28.4	177.8	124.0	4	28.4	203.2	146.1	4	31.8
6	50	2"	152.5	120.7	4	19.1	165.0	127.0	8	19.1	165.0	127.0	8	19.1	215.9	165.1	8	25.4	215.9	165.1	8	25.4	235.0	171.5	8	28.4
7	65	2-1/2"	178.0	139.7	4	19.1	190.5	149.4	8	22.4	190.5	149.4	8	22.4	244.3	190.5	8	28.4	244.3	190.5	8	28.4	266.7	196.9	8	31.8
8	80	3"	190.5	152.4	4	19.1	209.5	168.1	8	22.4	209.5	168.1	8	22.4	241.3	190.5	8	25.4	266.7	203.2	8	31.8	304.8	228.6	8	35.1
9	90	3-1/2"	216.0	177.8	8	19.1	228.5	184.2	8	22.4	228.5	184.2	8	25.4												
10	100	4"	228.5	190.5	8	19.1	254.0	200.2	8	22.4	273.0	215.9	8	25.4	292.1	235.0	8	31.8	311.2	241.3	8	35.1	355.6	173.1	8	41.1
11	125	5"	254.0	215.9	8	22.4	279.5	235.0	8	22.4	330.0	266.7	8	28.4	349.3	279.4	8	35.1	374.7	292.1	8	41.1	419.1	323.9	8	47.8
12	150	6"	279.5	241.3	8	22.4	317.5	269.7	12	22.4	355.5	292.1	12	28.4	381.0	317.5	12	31.8	393.7	317.5	12	38.1	482.6	368.3	8	53.8
13	200	8"	343.0	298.5	8	22.4	381.0	330.2	12	25.4	419.0	349.3	12	31.8	469.9	393.7	12	38.1	482.6	393.7	12	44.5	552.5	438.2	12	53.8
14	250	10"	406.5	362.0	12	25.4	444.5	387.4	16	28.4	508.0	431.8	16	35.1	546.1	469.9	16	38.1	584.2	482.6	12	50.8	673.1	539.8	12	66.5
15	300	12"	482.5	431.0	12	25.4	520.5	450.9	16	31.8	559.0	489.0	20	35.1	609.6	533.4	20	38.1	673.1	571.5	16	53.8	762.0	619.3	12	73.2
16	350	14"	533.5	476.3	12	28.5	584.0	514.4	20	31.8	603.5	527.1	20	38.1	641.4	558.8	20	41.1	749.3	635.0	16	60.5				
17	400	16"	597.0	539.8	16	28.5	647.5	571.5	20	35.1	686.0	603.3	20	41.1	704.9	616.0	20	44.5	825.5	704.9	16	66.5				
18	450	18"	635.0	577.9	16	31.8	711.0	628.7	24	35.1	743.0	654.1	20	44.5	787.4	685.8	20	50.8	914.4	774.7	16	73.2				
19	500	20"	698.5	635.0	20	31.8	774.5	685.8	24	35.1	813.0	723.9	24	44.5	857.3	749.3	20	53.8	984.3	831.9	16	79.2				
20	550	22"	749.3	692.2	20	35.1	838.2	743.0	24	41.1	871.0	777.7	24	47.8												
21	600	24"	813.0	749.3	20	35.1	914.5	812.8	24	41.1	940.0	838.2	24	50.8	####	901.7	20	66.5	1168.4	990.6	16	91.9				

QUALITY MANAGEMENT

TÜV SÜD Management Service

CERTIFICATE

The Certification Body
of TÜV SÜD Management Service GmbH

certifies that

pipeline شركة بايب لاين
SUPPLIES & SERVICES CO. W.L.L. ذ.م.م للخدمات والتوزيع
DOHA - QATAR الدوحة - قطر

PIPELINE SUPPLIES & SERVICES CO. W.L.L

5th Floor, Sheikh Saoud Tower,
Grand Hamad Street,
Doha, Qatar

has established and applies
a Quality Management System for

Supply of Industrial Products such as Pipes, Fittings, Flanges, Valves, Fasteners, Packing Material, Welding Equipments & Consumables, Industrial & Hydraulic Hoses, Blasting Garnets, Drilling Compounds, Industrial & Marine Chemicals, Lubricants, Maintenance Repair & Overhaul (MRO) Consumables, Fire Fighting Equipment and Accessories, Structural Steel, Grating, Ferrous and Nonferrous metals for Oil & Gas, Petrochemical, Construction, Power Industries, Marine Industries and MEP & EPC Contractors.

An audit was performed, Order No. **707111640**.

Proof has been furnished that the requirements according to

DIN EN ISO 9001:2015

are fulfilled.

The certificate is valid from **2023-01-07** until **2026-01-06**.

Certificate Registration No.: **12 100 59306 TMS**.

Head of Certification Body
Munich, 2023-01-03

IAF DAkkS Deutsche Akkreditierungsstelle D-ZM-14143-01-00

TÜV SÜD Management Service GmbH • Zertifizierungsstelle • Ridlerstrasse 57 • 80339 München • Germany
www.tuvsud.com/de-certificate-validity-check

TÜV®

ZERTIFIKAT ◆ CERTIFICATE ◆ 認證證書 ◆ СЕРТИФИКАТ ◆ CERTIFICADO ◆ CERTIFICAT

PIPELINE is ISO 9001:2015 and implements the highest standard of quality management system and design. The principals implemented are the frame work used by the management to improve performance and perpetuate excellence.

PIPELINE is 100% customer focused to understand the current and future needs and strive to exceed the expectations. We continuously revive and update our policies to improve customer loyalty, research, understand and communicate needs and expectations. Also systematically manage relationship and evaluate satisfaction and act upon the results.

We have a leadership oriented approach all the activities are evaluated, aligned and implemented in a unified way. Chances of miscommunication is minimized. All the resources for periodic training are available and our staff have the freedom to act with responsibility and accountability.

PIPELINE GROUP OF COMPANIES

Pipeline
SUPPLIES & SERVICES CO W.L.L

Stockiest and distributors of pipes, fittings, flanges, valves and firefighting materials.

Tel: +974 4444 4438
Fax: +974 4444 4483
PO Box: 23630
Sheikh Saoud Tower
Grand Hamad street
E-mail: pissco@qatar.net.qa
www.piplineqatar.com

POWERFLEX CORPORATION WLL

Assemblers and supplier of all kind of hoses and fittings.

Tel: +974 4435 0066, Fax: +974 4435 0077
Mob: +974 6687 6699
P.O.Box: 23630, Doha, Qatar
Email: info@powerflexqatar.com
www.powerflexqatar.com

NOVEL OVERSEAS CORPORATION W.L.L
نوفل اوفرسيس كوربر اشن ذ.م.م

Staff Augmentation | Software Development | Digital Marketing

Tel : +974 4444 4438 (5 Lines)
Fax : +974 4444 4483
P.O. Box No.: 23630
Email: info@novelqatar.com
Web: www.novelqatar.com

Thermal Arabia W.L.L.

Engineering Solution Provider of HVAC, design & supply of all kind of Chiller & Water Pumps, Fire Pumps, PLC VFD, Soft Starter Switch Gear Controllers etc..

Tel: +974 4436 7499
Mob: +974 6603 2255
Fax: +974 4417 8251
P.O.Box: 10216
Email: info@thermalarabic.com
Website: www.thermalarabic.com/thermal

Hydrolink
Engineering Services W.L.L.

Industrial Plants, Equipment, Hydraulic, Mechanical & Electrical Solutions

Tel: +974 4441 8840, Fax: +974 4411 8842
PO Box: 23630, Street No: 36
Industrial Area
Email: info@hydrolinkqatar.com
Web site: www.hydrolinkqatar.com

ARMOR FIRE FIGHTING ENGINEERING CO. W.L.L.

Fight Against Fire

Contractors of firefighting and fire alarm jobs.

Tel: +974 4016 1222, Fax: +974 4016 1220
PO Box: 10216, Doha, Qatar
Email: info@armorfireqatar.com
Website: www.armorfireqatar.com

CTS
شامبيونس تكنيكال سيرفسس ذ.م.م
CHAMPIONS TECHNICAL SERVICES WLL

Hydraulic Torquing and Tensioning

Tel: +974 4444 4438
Fax: +974 4444 4483
PO Box: 23630
Sheikh Saoud Tower
Grand Hamad street
E-mail: info@championsqatar.com
www.championsqatar.com

CHAMPIONS
TECHNICAL SUPPLIES TRADING FZE

Stockiest and distributors of pipes, fittings, flanges, valves and firefighting materials.

Jabel Ali Free Zone,
Dubai, UAE,
Email: pissco@qatar.net.qa
www.pipelineqatar.com

QUALITY IS OUR FORTE !

توطين TAWTEEN

ICV IN-COUNTRY VALUE CERTIFIED

Tel: +974 4444 4438 (5 Lines) Fax: +974 4444 4483
P.O. Box: 23630, 5th Floor, Sheikh Saoud Towers, Grand Hamad Street, Doha, Qatar
Email: info@pipelineqatar.com - www.pipelineqatar.com